| 6 | Please type a plus sign inside this box + | PTO/SB/08A(02/03) | Approved for use three |) ough 04/30/2003, OMB 0651-0031 |
|------|---|-------------------|------------------------|-------------------------------------|
| / 💆 | - S | | Application Number | 10/'536,602 |
| 4416 | 16 ON INFORMATION DISCI | LOSURE | Filing Datea | May 26, 2005 |
| | STATEMENT BY APP | LICANT | First Named Inventor | Ulrich Sander |
| | (I/so as many sheets as massagem) | | Art Unit | Unknown 2872 |
| | | | Examiner Name | Unknown NGUTT |
| | Sheet 1 | of 1 | Attorney Docket Number | 33997.0112 |

| U.S. PATENT DOCUMENTS | | | Class Sulcicus | | | |
|-----------------------|-------------|--|------------------|---------------------------------------|--------------------------------------|--|
| Examiner | Cite No. | | Publication Date | Name of Patentee or | Pages, Columns, Lines Where Relevent | |
| Initials* | | Number-Kind Code ² (if known) | MM-DD-YYYY | Applicant of Cited Document | Passages or Relevant Figures Appear | |
| UST | 1 | U.S 5,822,114 | 10-13-1998 | Olympus Optical Co., Ltd. | | |
| | , | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | , | | | |
| | | | | | | |
| ·- | | | Ţ. | | | |
| | | | | | | |
| | · | | | - | | |
| | | 4 | | | | |
| | | | | · · · · · · · · · · · · · · · · · · · | | |
| | | | | | | |
| | | · | | | <u></u> | |
| | | | | | | |

| | | FOREIG | GN PATENT DOCUM | MENTS | Classifica | 7 |
|-----------------------|---------------|--|--|--|-----------------------------|-----|
| Examiner Initials* | Cite No. 1 | Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines Where | 7 |
| ver | 2 | EP-1 120 676 A2 | 08-01-2001 | Mitaka Kohki Co., Ltd. | Y& | |
| | | | | | | 1 |
| | | | <u> </u> | | | ٦ . |
| •. • | | | <u>` </u> | • | | 7 |
| | | | | | | 7 |
| | | • | | | | 1 |
| | | 7. | | | | ┫ |

| Examiner | N. m. / | Date | |
|-----------|---------|------------|---------|
| Signature | *104lm | Considered | 7/27/05 |
| | N. U. | | |

[•]EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.